



HTSafe® solid wall system: building drainage 2.0. Delivery program 2025

Stand 03/2025



HT safe®

Gebr. Ostendorf Kunststoffe GmbH

Rudolf-Diesel-Straße 6-8 · D-49377 Vechta

Tel. +49 (0) 4441 874-10 Fax +49 (0) 4441 874-15

verkauf@ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

Our service:

More than just a large portfolio!



- genormtes Hochdruckkanalrohr SN 16
- DIN EN 14750
- patentiertes
- DN/OD 110
- durchgehende Formstück
- kann mit Schweiß



Competent contact persons (for your region) • Personal
contact persons according to postal code areas

Availability •

Short delivery times (within one week) • Nationwide
availability

25-year warranty •

Exceptional extended warranty

Sustainability •

100% recyclable products • 100 years
of service life and operational reliability

Made in Germany



Services, information, links and downloads on our homepage • Free standard and individual
statics

- According to ATV-DVWK-A 127
- Request online easily, quickly and free of charge •

Check chemical resistance • Tender texts

- VOB compliant at www.stlb-bau-online.de
- All tender texts on Ausschreiben.de, all formats available

- BIM Revit data (Mepcontent)
 - »Building Information Modeling«
holistically plan in 3D

• FAQ

- All product data available for download

- Catalogs, data sheets, certificates ... for download



www.ostendorf-kunststoffe.com

Material properties HTSafe®

Sound-insulating domestic drain pipes and fittings

Brand names

Ostendorf HT Safe®

Material

Polypropylene (PP)

- hot water resistant
- flame-retardant according to DIN 4102 (B1)

DIN EN 1451-1

Application

Drainage inside buildings as

- Wastewater pipe
- Rainwater pipe
- Ventilation duct

(see also areas of application: DIN 1986-4)

Nominal diameters (DN/OD)

32/40/50/75/90/110/125/160

Montage


DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100

Color

Traffic grey B RAL 7043

seal

High-performance triple lip seal, factory-inserted from SBR according to DIN EN 681



DN/OD	s (mm)	D (mm)	A+C (mm)	L (mm)
32	1,8	44	44	150-3000
40	1,8	54	53	150-3000
50	1,8	64	52	150-3000
75	1,9	89	54	150-3000
90	2,2	105	57	150-3000
110	2,7	128	61	150-3000
125	3,1	144	63	150-3000
160	3,9	184	79	150-3000

The technical data sheets for our products can be found at www.ostendorf-kunststoffe.com

Chemical resistance

Dissipation of aggressive media in the range pH 1 to pH 13 (see also www.ostendorf-kunststoffe.com)

Marking of pipes and fittings

Permanent marking with manufacturer's mark, nominal diameter, standard designation (DIN EN 1451-1), production date, material, building material class (fire behavior)

- Fittings also bear the indication of the angle degrees or the outlets

Sound

insulation measured value 21 dB(A) based on DIN 4109

Sound insulation test according to DIN EN 14366 (Fraunhofer Institute)

IBP Noise emission at 4 litres volume flow as measured with Bismat 1000 (P-BA 222/2016).



Central vacuum system

Test certificate from the State Materials Testing Institute Darmstadt



HTsafeEM – Rohr

Art. No.	Designation	EAN	Unit/Container	VPE/Pallet
170000	HTsafeEM DN/OD 32 x 150 mm	4052836004284	20	960
170010	HTsafeEM DN/OD 32 x 250 mm	4052836004291	20	800
170020	HTsafeEM DN/OD 32 x 500 mm	4052836004307	20	320
170040	HTsafeEM DN/OD 32 x 1000 mm	4052836004314	10	300
170050	HTsafeEM DN/OD 32 x 1500 mm	4052836004321	10	300
170060	HTsafeEM DN/OD 32 x 2000 mm	4052836004338	10	300
170070	HTsafeEM DN/OD 32 x 3000 mm	4052836004345	10	300
171000	HTsafeEM DN/OD 40 x 150 mm	4052836004475	20	960
171010	HTsafeEM DN/OD 40 x 250 mm	4052836004482	20	960
171020	HTsafeEM DN/OD 40 x 500 mm	4052836004499	20	320
171030	HTsafeEM DN/OD 40 x 750 mm	4052836004505	10	260
171040	HTsafeEM DN/OD 40 x 1000 mm	4052836004512	10	260
171050	HTsafeEM DN/OD 40 x 1500 mm	4052836004529	10	260
171060	HTsafeEM DN/OD 40 x 2000 mm	4052836004536	10	260
171070	HTsafeEM DN/OD 40 x 3000 mm	4052836004543	10	260
172000	HTsafeEM DN/OD 50 x 150 mm	4052836004727	20	720
172010	HTsafeEM DN/OD 50 x 250 mm	4052836004734	20	720
172020	HTsafeEM DN/OD 50 x 500 mm	4052836004741	20	320
172030	HTsafeEM DN/OD 50 x 750 mm	4052836004758	10	200
172040	HTsafeEM DN/OD 50 x 1000 mm	4052836004765	10	200
172050	HTsafeEM DN/OD 50 x 1500 mm	4052836004772	10	200
172060	HTsafeEM DN/OD 50 x 2000 mm	4052836004789	10	200
172070	HTsafeEM DN/OD 50 x 3000 mm	4052836004796	10	200
173000	HTsafeEM DN/OD 75 x 150 mm	4052836005083	20	480
173010	HTsafeEM DN/OD 75 x 250 mm	4052836005090	20	320
173020	HTsafeEM DN/OD 75 x 500 mm	4052836005106	20	160
173030	HTsafeEM DN/OD 75 x 750 mm	4052836005113	6	120
173040	HTsafeEM DN/OD 75 x 1000 mm	4052836005120	6	120
173050	HTsafeEM DN/OD 75 x 1500 mm	4052836005137	6	120
173060	HTsafeEM DN/OD 75 x 2000 mm	4052836005144	6	120
173070	HTsafeEM DN/OD 75 x 3000 mm	4052836005151	6	120

HTsafeEM – Rohr



Art. No.	Designation	EAN	Unit/Container	VPE/Pallet
174000	HTsafeEM DN/OD 90 x 150 mm	4052836005380	20	320
174010	HTsafeEM DN/OD 90 x 250 mm	4052836005397	20	240
174020	HTsafeEM DN/OD 90 x 500 mm	4052836005403	10	120
174030	HTsafeEM DN/OD 90 x 750 mm	4052836005410	4	96
174040	HTsafeEM DN/OD 90 x 1000 mm	4052836005427	4	96
174050	HTsafeEM DN/OD 90 x 1500 mm	4052836005434	4	96
174060	HTsafeEM DN/OD 90 x 2000 mm	4052836005441	4	96
174070	HTsafeEM DN/OD 90 x 3000 mm	4052836005458	4	96
175000	HTsafeEM DN/OD 110 x 150 mm	4052836005670	20	160
175010	HTsafeEM DN/OD 110 x 250 mm	4052836005687	20	160
175020	HTsafeEM DN/OD 110 x 500 mm	4052836005694	10	80
175030	HTsafeEM DN/OD 110 x 750 mm	4052836005700	4	60
175040	HTsafeEM DN/OD 110 x 1000 mm	4052836005717	4	60
175050	HTsafeEM DN/OD 110 x 1500 mm	4052836005724	4	60
175060	HTsafeEM DN/OD 110 x 2000 mm	4052836005731	4	60
175070	HTsafeEM DN/OD 110 x 3000 mm	4052836005748	4	60
176000	HTsafeEM DN/OD 125 x 150 mm	4052836006080	10	120
176010	HTsafeEM DN/OD 125 x 250 mm	4052836006097	10	120
176020	HTsafeEM DN/OD 125 x 500 mm	4052836006103	5	60
176030	HTsafeEM DN/OD 125 x 750 mm	4052836006110	1	54
176040	HTsafeEM DN/OD 125 x 1000 mm	4052836006127	1	54
176050	HTsafeEM DN/OD 125 x 1500 mm	4052836006134	1	54
176060	HTsafeEM DN/OD 125 x 2000 mm	4052836006141	1	54
176070	HTsafeEM DN/OD 125 x 3000 mm	4052836006158	1	54
177000	HTsafeEM DN/OD 160 x 150 mm	4052836006301	1	84
177010	HTsafeEM DN/OD 160 x 250 mm	4052836006318	1	56
177020	HTsafeEM DN/OD 160 x 500 mm	4052836006325	1	35
177030	HTsafeEM DN/OD 160 x 750 mm	4052836006332	1	35
177040	HTsafeEM DN/OD 160 x 1000 mm	4052836006349	1	35
177050	HTsafeEM DN/OD 160 x 1500 mm	4052836006356	1	35
177060	HTsafeEM DN/OD 160 x 2000 mm	4052836006363	1	35
177070	HTsafeEM DN/OD 160 x 3000 mm	4052836006370	1	35

HTsafeDM – pipe with two sockets



Art. No.	Designation	EAN	Unit/Container	VPE/Pallet
178020	HTsafeDM Rohr DN/OD 32 x 500 mm	4052836088901	20	320
178040	HTsafeDM Rohr DN/OD 32 x 1000 mm	4052836088932	10	300
178050	HTsafeDM Rohr DN/OD 32 x 1500 mm	4052836088963	10	300
178060	HTsafeDM Rohr DN/OD 32 x 2000 mm	4052836088994	10	300
178070	HTsafeDM Rohr DN/OD 32 x 3000 mm	4052836089021	10	300
178120	HTsafeDM Rohr DN/OD 40 x 500 mm	4052836089052	20	240
178140	HTsafeDM Rohr DN/OD 40 x 1000 mm	4052836089083	10	240
178150	HTsafeDM Rohr DN/OD 40 x 1500 mm	4052836089113	10	240
178160	HTsafeDM Rohr DN/OD 40 x 2000 mm	4052836089144	10	240
178170	HTsafeDM Rohr DN/OD 40 x 3000 mm	4052836089175	10	240
178220	HTsafeDM Rohr DN/OD 50 x 500 mm	4052836089205	20	240
178240	HTsafeDM Rohr DN/OD 50 x 1000 mm	4052836089236	10	200
178250	HTsafeDM Rohr DN/OD 50 x 1500 mm	4052836089267	10	200
178260	HTsafeDM Rohr DN/OD 50 x 2000 mm	4052836089298	10	200
178270	HTsafeDM Rohr DN/OD 50 x 3000 mm	4052836089328	10	200
178320	HTsafeDM Rohr DN/OD 75 x 500 mm	4052836089359	10	120
178340	HTsafeDM Rohr DN/OD 75 x 1000 mm	4052836089380	1	104
178350	HTsafeDM Rohr DN/OD 75 x 1500 mm	4052836089403	1	104
178360	HTsafeDM Rohr DN/OD 75 x 2000 mm	4052836089427	1	104
178370	HTsafeDM Rohr DN/OD 75 x 3000 mm	4052836089441	1	104
178420	HTsafeDM Rohr DN/OD 90 x 500 mm	4052836089465	10	90
178440	HTsafeDM Rohr DN/OD 90 x 1000 mm	4052836089496	4	96
178450	HTsafeDM Rohr DN/OD 90 x 1500 mm	4052836089526	4	96
178460	HTsafeDM Rohr DN/OD 90 x 2000 mm	4052836089557	4	96
178470	HTsafeDM Rohr DN/OD 90 x 3000 mm	4052836089588	4	96
178520	HTsafeDM Rohr DN/OD 110 x 500 mm	4052836089618	6	54
178540	HTsafeDM Rohr DN/OD 110 x 1000 mm	4052836089649	1	54
178550	HTsafeDM Rohr DN/OD 110 x 1500 mm	4052836089663	1	54
178560	HTsafeDM Rohr DN/OD 110 x 2000 mm	4052836089687	1	54
178570	HTsafeDM Rohr DN/OD 110 x 3000 mm	4052836089700	1	54
178620	HTsafeDM Rohr DN/OD 125 x 500 mm	4052836089724	1	48
178640	HTsafeDM Rohr DN/OD 125 x 1000 mm	4052836089748	4	48
178650	HTsafeDM Rohr DN/OD 125 x 1500 mm	4052836089779	4	48
178660	HTsafeDM Rohr DN/OD 125 x 2000 mm	4052836089809	4	48
178670	HTsafeDM Rohr DN/OD 125 x 3000 mm	4052836089830	1	48

HTsafeGL – pipe without socket



Art. No.	Designation	EAN	Unit/Container	VPE/Pallet
170080	HTsafeGL DN/OD 32 x 5000 mm ohne Muffe	4052836004352	1	300
171080	HTsafeGL DN/OD 40 x 5000 mm ohne Muffe	4052836004550	1	260
172080	HTsafeGL DN/OD 50 x 5000 mm ohne Muffe	4052836004802	1	200
173080	HTsafeGL DN/OD 75 x 5000 mm ohne Muffe	4052836005168	1	120
174080	HTsafeGL DN/OD 90 x 5000 mm ohne Muffe	4052836005465	1	96
175080	HTsafeGL DN/OD 110 x 5000 mm ohne Muffe	4052836005755	1	60
176080	HTsafeGL DN/OD 125 x 5000 mm ohne Muffe	4052836006165	1	54
177080	HTsafeGL DN/OD 160 x 5000 mm ohne Muffe	4052836006387	1	35

HTsafeB – The Book



15 Degree



30 Degrees

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
170100	HTsafeB Bend DN/OD 32 15 Degree	4052836004369	20	1400
170110	HTsafeB Bend DN/OD 32 30 Degree	4052836004376	20	1400
170120	HTsafeB Bend DN/OD 32 45 Degree	4052836004383	20	1400
170130	HTsafeB Bend DN/OD 32 67.5 Degree	4052836004390	20	1400
170140	HTsafeB Bend DN/OD 32 87.5 Degree	4052836004406	20	1400
171100	HTsafeB Bend DN/OD 40 15 Degree	4052836004567	20	960
171110	HTsafeB Bend DN/OD 40 30 Degree	4052836004574	20	960
171120	HTsafeB Bend DN/OD 40 45 Degree	4052836004581	20	960
171130	HTsafeB Bend DN/OD 40 67.5 Degree	4052836004598	20	960
171140	HTsafeB Bend DN/OD 40 87.5 Degree	4052836004604	20	960
172100	HTsafeB Bend DN/OD 50 15 Degree	4052836004819	20	960
172110	HTsafeB Bend DN/OD 50 30 Degree	4052836004826	20	960
172120	HTsafeB Bend DN/OD 50 45 Degree	4052836004833	20	960
172130	HTsafeB Bend DN/OD 50 67.5 Degree	4052836004840	20	960
172140	HTsafeB Bend DN/OD 50 87.5 Degree	4052836004857	18	864

New VPE
from 1.1.25



45 Degree



67.5 Degrees



87.5 Degrees

HTsafeB – The Book

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
173100	HTsafeB Bend DN/OD 75 15 Degree	4052836005175	20	480
173110	HTsafeB Bend DN/OD 75 30 Degree	4052836005182	20	480
173120	HTsafeB Bend DN/OD 75 45 Degree	4052836005199	20	480
173130	HTsafeB Bend DN/OD 75 67.5 Degree	4052836005205	20	480
173140	HTsafeB Bend DN/OD 75 87.5 Degree	4052836005212	20	480
174100	HTsafeB Bend DN/OD 90 15 Degree	4052836005472	20	400
174110	HTsafeB Bend DN/OD 90 30 Degree	4052836005489	20	400
174120	HTsafeB Bend DN/OD 90 45 Degree	4052836005496	20	400
174130	HTsafeB Bend DN/OD 90 67.5 Degree	4052836005502	20	240
174140	HTsafeB Bend DN/OD 90 87.5 Degree	4052836005519	20	240
175100	HTsafeB Bend DN/OD 110 15 Degree	4052836005762	20	240
175110	HTsafeB Bend DN/OD 110 30 Degree	4052836005779	20	240
175120	HTsafeB Bend DN/OD 110 45 Degree	4052836005786	16	192
175130	HTsafeB Bend DN/OD 110 67.5 Degree	4052836005793	20	160
175140	HTsafeB Bend DN/OD 110 87.5 Degree	4052836005809	20	160
176100	HTsafeB Bend DN/OD 125 15 Degree	4052836006172	20	160
176110	HTsafeB Bend DN/OD 125 30 Degree	4052836006189	20	160
176120	HTsafeB Bend DN/OD 125 45 Degree	4052836006196	20	160
176140	HTsafeB Bend DN/OD 125 87.5 Degree	4052836006202	10	120
177100	HTsafeB Bend DN/OD 160 15 Degree	4052836006394	10	80
177110	HTsafeB Bend DN/OD 160 30 Degree	4052836006400	10	80
177120	HTsafeB Bend DN/OD 160 45 Degree	4052836006417	5	60
177140	HTsafeB Bend DN/OD 160 87.5 Degree	4052836006424	5	60

HTsafeEA – branch



45 Degree

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
170200	HTsafeEA branch DN/OD 32/32 45 degrees	4052836004413	20	960
170300	HTsafeEA branch DN/OD 32/32 67.5 degrees	4052836004420	20	960
170400	HTsafeEA branch DN/OD 32/32 87.5 degrees	4052836004437	20	960
171200	HTsafeEA branch DN/OD 40/40 45 degrees	4052836004611	20	960
171300	HTsafeEA branch DN/OD 40/40 67.5 degrees	4052836004628	20	960
171400	HTsafeEA branch DN/OD 40/40 87.5 degrees	4052836004635	20	960
172210	HTsafeEA branch DN/OD 50/40 45 degrees	4052836004871	20	480
172200	HTsafeEA branch DN/OD 50/50 45 degrees	4052836004864	20	480
172310	HTsafeEA branch DN/OD 50/40 67.5 degrees	4052836004895	20	480
172300	HTsafeEA branch DN/OD 50/50 67.5 degrees	4052836004888	20	480
172410	HTsafeEA branch DN/OD 50/40 87.5 degrees	4052836004918	20	480
172400	HTsafeEA branch DN/OD 50/50 87.5 degrees	4052836004901	20	480
173210	HTsafeEA branch DN/OD 75/50 45 degrees	4052836005236	20	400
173200	HTsafeEA branch DN/OD 75/75 45 degrees	4052836005229	20	240
173310	HTsafeEA branch DN/OD 75/50 67.5 degrees	4052836005250	20	480
173300	HTsafeEA branch DN/OD 75/75 67.5 degrees	4052836005243	20	240
173410	HTsafeEA branch DN/OD 75/50 87.5 degrees	4052836005274	20	400
173400	HTsafeEA branch DN/OD 75/75 87.5 degrees	4052836005267	20	240
174220	HTsafeEA branch DN/OD 90/50 45 degrees	4052836005540	20	240
174210	HTsafeEA branch DN/OD 90/75 45 degrees	4052836005533	20	240
174200	HTsafeEA branch DN/OD 90/90 45 degrees	4052836005526	20	160
174420	HTsafeEA branch DN/OD 90/50 87.5 degrees	4052836005571	20	240
174410	HTsafeEA branch DN/OD 90/75 87.5 degrees	4052836005564	20	240
174400	HTsafeEA branch DN/OD 90/90 87.5 degrees	4052836005557	20	160



67.5 Degrees



87.5 Degrees

HTsafeEA – branch

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
175220	HTsafeEA branch DN/OD 110/50 45 degrees	4052836005830	20	240
175210	HTsafeEA branch DN/OD 110/75 45 degrees	4052836005823	20	160
175230	HTsafeEA branch DN/OD 110/90 45 degrees	4052836143518	10	120
175200	HTsafeEA branch DN/OD 110/110 45 degrees	4052836005816	8	96
175320	HTsafeEA branch DN/OD 110/50 67.5 degrees	4052836005861	20	240
175310	HTsafeEA branch DN/OD 110/75 67.5 degrees	4052836005854	20	160
175300	HTsafeEA branch DN/OD 110/110 67.5 degrees	4052836005847	10	120
175420	HTsafeEA branch DN/OD 110/50 87.5 degrees	4052836005885	20	240
175410	HTsafeEA branch DN/OD 110/75 87.5 degrees	4052836005878	20	160
175430	HTsafeEA branch DN/OD 110/90 87.5 degrees	4052836143549	10	120
175400	HTsafeEA branch DN/OD 110/110 87.5 degrees	4052836008787	8	96
176210	HTsafeEA branch DN/OD 125/110 45 degrees	4052836006226	5	60
176200	HTsafeEA branch DN/OD 125/125 45 degrees	4052836006219	5	60
176410	HTsafeEA branch DN/OD 125/110 87.5 degrees	4052836006240	5	60
176400	HTsafeEA branch DN/OD 125/125 87.5 degrees	4052836006233	5	60
177210	HTsafeEA branch DN/OD 160/110 45 degrees	4052836006448	5	40
177200	HTsafeEA branch DN/OD 160/160 45 degrees	4052836006431	4	32
177410	HTsafeEA branch DN/OD 160/110 87.5 degrees	4052836006462	5	60
177400	HTsafeEA branch DN/OD 160/160 87.5 degrees	4052836006455	4	48

HTsafeDA – Doppelabzweig

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172900	HTsafeDA double branch DN/OD 50/50/50 67.5 Degrees	4052836005021	20	480
173900	HTsafeDA double branch DN/OD 75/75/75 67.5 Degrees	4052836005373	20	240
174900	HTsafeDA double branch DN/OD 90/90/90 87.5 Grad (swept)*	4052836005663	8	96
175910	HTsafeDA double branch DN/OD 110/50/50 67.5 Degrees	4052836006066	10	120
175900	HTsafeDA double branch DN/OD 110/110/110 67.5 Degrees	4052836006059	5	60
175930	HTsafeDA double branch DN/OD 110/110/110 87.5 Grad (swept)*	4052836136022	5	60

* with particularly streamlined branch design

HTsafeSA – Steckabzweig

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
175740	HTsafeSA Steckabzweig DN/OD 110/110 87.5 Degrees	4052836135711	8	96





HTsafeDSW – Doppelanschlussbogen

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172970	HTsafeDSW Doppelanschlussbogen DN/OD 40/50/40	4052836005076	20	480



HTsafeED – Eckdoppelabzweig

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
175920	HTsafeED Eckdoppelabzweig DN/OD 110/110/110 67.5 City	4052836006073	10	80




HTsafeU – Slip-on sleeve

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
170500	HTsafeU sleeve DN/OD 32	4052836004444	20	1400
171500	HTsafeU sleeve DN/OD 40	4052836004642	20	960
172500	HTsafeU sleeve coupling DN/OD 50	4052836004925	20	960
173500	HTsafeU sleeve coupling DN/OD 75	4052836005281	20	480
174500	HTsafeU sleeve DN/OD 90	4052836005588	20	480
175500	HTsafeU sleeve DN/OD 110	4052836005892	20	240
176500	HTsafeU sleeve DN/OD 125	4052836006257	20	160
177500	HTsafeU sleeve DN/OD 160	4052836006479	15	120



Skolan Safe – connection to HT Safe

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
333830	SKOLANsafe connection to HT Safe DN/OD 75	4052836338303	20	480
336820	SKOLANsafe connection to HT Safe/KG DN/OD 125	4052836368201	4	160



Skolan Safe – transition cuff

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
910833	SKOLANsafe Transition Sleeve Skolan Safe 58 / HT Safe 50 mm	4052836086754	20	2560



HTsafeUG – Connection to cast iron

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172820	HTsafeUG connection to cast iron DN/OD 50	4052836005014	20	960
173820	HTsafeUG connection to cast iron DN/OD 75	4052836005366	20	480
175820	HTsafeUG connection to cast iron DN/OD 110	4052836006042	20	480



HTsafeM – Muffenstopfen

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
170620	HTsafeM socket plug DN/OD 32	4052836004468	100	7000
171620	HTsafeM socket plug DN/OD 40	4052836004666	20	2880
172620	HTsafeM socket plug DN/OD 50	4052836004956	20	2880
173620	HTsafeM socket plug DN/OD 75	4052836005311	20	2560
174620	HTsafeM socket plug DN/OD 90	4052836005618	20	960
175620	HTsafeM socket plug DN/OD 110	4052836005922	20	960
176620	HTsafeM socket plug DN/OD 125	4052836006288	20	480
177620	HTsafeM socket plug DN/OD 160	4052836006509	20	480



HTsafeMM – Doppelmuffe

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
170510	HTsafeMM double socket DN/OD 32	4052836004451	20	1400
171510	HTsafeMM double socket DN/OD 40	4052836004659	20	960
172510	HTsafeMM double socket DN/OD 50	4052836004932	20	960
173510	HTsafeMM double socket DN/OD 75	4052836005298	20	480
174510	HTsafeMM double socket DN/OD 90	4052836005595	20	480
175510	HTsafeMM double socket DN/OD 110	4052836005908	20	240
176510	HTsafeMM double socket DN/OD 125	4052836006264	20	160
177510	HTsafeMM double socket DN/OD 160	4052836006486	15	120

HTsafeR – Reduction



Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
171710	HTsafeR Reduction DN/OD 40/32	4052836004673	20	1400
172720	HTsafeR Reduction DN/OD 50/32	4052836004987	20	960
172710	HTsafeR Reduction DN/OD 50/40	4052836004963	20	960
173710	HTsafeR Reduction DN/OD 75/50	4052836005328	12	576
174720	HTsafeR Reduction DN/OD 90/50	4052836005632	20	480
174710	HTsafeR Reduction DN/OD 90/75	4052836005625	20	480
175720	HTsafeR Reduction DN/OD 110/50	4052836005977	20	400
175710	HTsafeR Reduction DN/OD 110/75	4052836005953	20	480
175700	HTsafeR Reduction DN/OD 110/90	4052836005939	20	240
176710	HTsafeR Reduction DN/OD 125/110	4052836006295	20	240
177710	HTsafeR Reduction DN/OD 160/110	4052836006523	20	160
177700	HTsafeR Reduction DN/OD 160/125	4052836006516	20	160

HTsafeR – Reduction short version



Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172715	HTsafeR reduction DN/OD 50/40 short version 4052836004970		20	1400
173715	HTsafeR reduction DN/OD 75/50 short version 4052836005335		20	960
174730	HTsafeR reduction DN/OD 90/50 short version 4052836005649		20	480
175725	HTsafeR reduction DN/OD 110/50 short version 4052836005984		20	480
175715	HTsafeR reduction DN/OD 110/75 short version 4052836005960		20	480
175705	HTsafeR reduction DN/OD 110/90 short version 4052836005946		20	480

HTsafeRE – cleaning pipe



Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172600	HTsafeRE cleaning pipe DN/OD 50	4052836004949	20	480
173600	HTsafeRE cleaning pipe DN/OD 75	4052836005304	20	480
174600	HTsafeRE cleaning pipe DN/OD 90	4052836005601	20	240
175600	HTsafeRE cleaning pipe DN/OD 110	4052836005915	20	160
176600	HTsafeRE cleaning pipe DN/OD 125	4052836006271	5	60
177600	HTsafeRE cleaning pipe DN/OD 160	4052836006493	5	60



HTsafeRI – internal reduction

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
175770	HTsafeRI internal reduction DN/OD 110/50	4052836006011	20	960
175760	HTsafeRI internal reduction DN/OD 110/75	4052836006004	20	480



HTsafeL – Langmuffe

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
171800	HTsafeL Langmuffe DN/OD 40	4052836004680	20	960
172800	HTsafeL Langmuffe DN/OD 50	4052836004994	20	480
173800	HTsafeL Langmuffe DN/OD 75	4052836005342	20	480
174800	HTsafeL Langmuffe DN/OD 90	4052836005656	20	240
175800	HTsafeL Langmuffe DN/OD 110	4052836006028	20	160



HTsafeS – Siphon connection piece for metal and plastic

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
171900	HTsafeS siphon connector on metal and plastic DN/OD 40/40	4052836004697	20	2880
172910	HTsafeS siphon connector on metal and plastic DN/OD 50/40	4052836005038	20	2880
172920	HTsafeS siphon connector on metal and plastic DN/OD 50/50	4052836005045	20	960



HTsafeSW – Siphon connection angle for metal and plastic

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
171910	HTsafeSW Siphonanschlusswinkel on metal and plastic DN/OD 40/30	4052836004703	20	960
171920	HTsafeSW Siphonanschlusswinkel on metal and plastic DN/OD 40/40	4052836004710	20	960
172940	HTsafeSW Siphonanschlusswinkel on metal and plastic DN/OD 50/40	4052836005052	20	960
172950	HTsafeSW Siphonanschlusswinkel on metal and plastic DN/OD 50/50	4052836005069	20	960



HTsafeSM – Steckmuffe

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
175750	HTsafeSM push-in coupling DN/OD 110/110	4052836005991	36	288



HTsafeAM – slip-on coupling with sleeve

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
172810	HTsafeAM slip-on socket with sleeve DN/OD 50	4052836005007	20	480
173810	HTsafeAM slip-on socket with sleeve DN/OD 75	4052836005359	20	480
175810	HTsafeAM slip-on socket with sleeve DN/OD 110	4052836006035	20	240



HT Safe® – replacement lip seal

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
880007	Replacement lip seal DN/OD 32 (HT Safe)	4052836003928	-	-
880017	Replacement lip seal DN/OD 40 (HT Safe)	4052836003942	-	-
880027	Replacement lip seal DN/OD 50 (HT Safe)	4052836003966	-	-
880037	Replacement lip seal DN/OD 75 (HT Safe)	4052836003980	-	-
880047	Replacement lip seal DN/OD 90 (HT Safe/School Safe)	4052836003768	-	-
880057	Replacement lip seal DN/OD 110 (HT Safe)	4052836800558	-	-
880077	Replacement lip seal DN/OD 125 (HT Safe)	4052836004000	-	-
880087	Replacement lip seal DN/OD 160 (HT Safe)	4052836004024	-	-



HT Safe® – NBR replacement lip seal (oil-resistant)

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
880217	NBR sealing ring DN/OD 40 (HT Safe)	4052836004048	-	-
880227	NBR sealing ring DN/OD 50 (HT Safe)	4052836004062	-	-
880237	NBR sealing ring DN/OD 75 (HT Safe)	4052836004086	-	-
880247	NBR sealing ring DN/OD 90 (HT Safe, Skolan Safe)	4052836004109	-	-
880260	NBR sealing ring DN/OD 110 (KG PVC SN 4, HT Safe)	4052836802606	-	-
880275	NBR sealing ring DN/OD 125 (KG PVC SN 4, HT Safe)	4052836802750	-	-
880290	NBR sealing ring DN/OD 160 (KG PVC SN 4, HT Safe)	4052836802903	-	-



HTsafeGA – Sleeve on cast

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
881005	GA sleeve on cast iron DN/OD 50	4052836810052	36	-
881015	GA sleeve on cast iron DN/OD 75	4052836810151	30	-
881025	GA sleeve on cast iron DN/OD 110	4052836810250	16	-



HTsafeGM – Gummimanschette

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
881200	HTGM rubber sleeve DN/OD 40/30 A	4052836812001	20	-
881210	HTGM rubber sleeve DN/OD 40/30 B	4052836812100	20	-
881220	HTGM rubber sleeve DN/OD 40/40 C	4052836812209	20	-
881230	HTGM rubber sleeve DN/OD 40/50/1 1/4	4052836812308	20	-
881240	HTGM rubber sleeve DN/OD 50/30 D	4052836812407	20	-
881250	HTGM rubber sleeve DN/OD 50/40 E	4052836812506	20	-
881260	HTGM rubber sleeve DN/OD 50/50 F	4052836812605	20	-

Art. No.	Designation	suitable for	Metal pipe Ø
881200	HTsafeGM Gummimanschette DN/OD 40/30 A	HTsafeSW 40/30 (Art-Nr. 171910)	28–34 mm
881210	HTsafeGM rubber sleeve DN/OD 40/30 B	HTsafeS 40/40 (Art-Nr. 171900)	28–34 mm
		HTsafeS 50/40 (Art-Nr. 172910)	
		HTsafeSW 40/40 (Art-Nr. 171920)	
		HTsafeSW 50/40 (Art-Nr. 172940)	
		HTsafeDSW 40/50/40 (Art-Nr. 172970)	
881220	HTsafeGM Gummimanschette DN/OD 40/40 C	HTsafeS 40/40 (Art-Nr. 171900)	38–44 mm
		HTsafeS 50/40 (Art-Nr. 172910)	
		HTsafeSW 40/40 (Art-Nr. 171920)	
		HTsafeSW 50/40 (Art-Nr. 172940)	
		HTsafeDSW 40/50/40 (Art-Nr. 172970)	
881230	HTsafeGM rubber sleeve DN/OD 40/50/1 1/4	all pipes and fittings with spigot end DN/OD 50	28–30 mm
881240	HTsafeGM Gummimanschette DN/OD 50/30 D	HTsafeS 50/50 (Art-Nr. 172920)	28–34 mm
		HTsafeSW 50/50 (Art-Nr. 172950)	
881250	HTsafeGM rubber sleeve DN/OD 50/40 E	HTsafeS 50/50 (Art-Nr. 172920)	38–44 mm
		HTsafeSW 50/50 (Art-Nr. 172950)	
881260	HTsafeGM rubber sleeve DN/OD 50/50 F	HTsafeS 50/50 (Art-Nr. 172920)	48–54 mm
		HTsafeSW 50/50 (Art-Nr. 172950)	



HT Safe® – pull-out protection

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
881590	Pull-out protection DN/OD 32	4052836098474	18	-
881595	Pull-out protection DN/OD 40	4052836098504	14	-
881500	Pull-out protection DN/OD 50	4052836815002	50	-
881510	Pull-out protection DN/OD 75	4052836815101	30	-
881520	Pull-out protection DN/OD 90	4052836815200	20	-
881535	Pull-out protection DN/OD 110	4052836086808	26	-
881540	Pull-out protection DN/OD 125	4052836815408	15	-
881555	Pull-out protection DN/OD 160	4052836152459	10	-



HT Safe® – Lubricant

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
881800	Lubricant 150 g	4052836818003	50	-
881810	Lubricant 250 g	4052836818102	50	-
881820	Lubricant 500 g	4052836818201	24	-
881830	Lubricant 1,000 g 881840	4052836818300	12	-
	Lubricant 3,000 g Bucket	4052836123749	1	-



HT Safe® – Bead nipple for transition to metal pipes

Art. No.	Designation	EAN	VPE/Karton	VPE/Pallet
881309-07	Bead nipple for transition to metal pipes DN/OD 40 1 1/4"	4025075007415	30	-
881319-07	Bead nipple for transition to metal pipes DN/OD 50 1 1/2"	4050463100737	30	-
881329-07	Bead nipple for transition to metal pipes DN/OD 50 1 1/4"	4050463100720	30	-

One thing is certain.



Gebr. Ostendorf Plastics

