



Solid wall system

Skolan Safe®: Sound-insulating domestic drainpipe

Delivery program 2025

Stand 03/2025



Skolan
safe®

Gebr. Ostendorf Kunststoffe GmbH

Rudolf-Diesel-Straße 6-8 · 49377 Vechta · Germany

Phone +49 (0) 4441 874-10 · Fax +49 (0) 4441 874-15

verkauf@ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

www.ostendorf-kunststoffe.com

Our service:

More than just a large portfolio!



Competent contact persons (for your region) • Personal
contact persons according to postal code areas

Availability •

Short delivery times (within one week) • Nationwide
availability


25-year warranty •

Exceptional extended warranty

Sustainability •

100% recyclable products • 100 years
of service life and operational reliability

Made in Germany



Services, information, links and downloads on our homepage • Free standard and individual
statics

- According to ATV-DVWK-A 127
- Request online easily, quickly and free of charge •

Check chemical resistance • Tender texts

- VOB compliant at www.stlb-bau-online.de
- All tender texts on Ausschreiben.de, all formats available

- BIM Revit data (Mepcontent)
 - »Building Information Modeling«
holistically plan in 3D

• FAQ

- All product data available for download

- Catalogs, data sheets, certificates ... for download



www.ostendorf-kunststoffe.com

Material properties SkolanSafe® Soundproof house drainpipe

Brand names

Ostendorf School Safe®

Material

mineral-reinforced polypropylene (PP)

- Normally flammable according to DIN 4102 B2

DIBt approval Z-42.1-217

tested in accordance with ÖNORM EN 1451-1

Application

Soundproofing pipe

Drainage to the transfer shaft

- Wastewater pipe
- Rainwater pipe
- Ventilation duct (see also application areas DIN 1986-4)

Nominal diameters (DN/OD)

58/78/90/110/135/160/200

Montage


DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100

Color

Light grey RAL 7035

seal

High-performance triple lip seal, factory-inserted from SBR according to DIN EN 681



DN/FROM	s (mm)	D (mm)	A+C (mm)	L (mm)
58	4,0	78	60	150-3000
78	4,5	98	57	150-3000
90	4,5	111	57	150-3000
110	5,3	135	74	150-3000
135	5,3	161	70	150-3000
160	5,3	193	91	150-3000
200	6,2	239	112	150-3000

*The technical data sheets for our
products can be found at
www.ostendorf-kunststoffe.com*

Chemical resistance

Dissipation of aggressive media in the range pH 1 to pH 13 (see also www.ostendorf-kunststoffe.com)

Marking of pipes and fittings Permanent

marking with manufacturer's mark, Skolan Safe, nominal diameters, approval number Z-42.1-217, production date, material, building material class (fire behavior) • Fittings also bear the indication of the angle degrees or the outlets

Soundproofing

Measured value 17dB(A) based on DIN 4109

Sound insulation test according to DIN EN 14366 (Fraunhofer Institute)

Noise emission at 4 litres volume flow as measured with Bismat 1000 (P-BA 221/2016)



Central vacuum system

Test certificate from the State Materials Testing Institute Darmstadt



SCHOOLsafeEM – Rohr

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332000	SKOLANsafeEM Pipe DN/OD 58 x 150 mm	4052836320001	18	18	432
332010	SKOLANsafeEM Pipe DN/OD 58 x 250 mm	4052836320100	20	20	320
332020	SKOLANsafeEM Pipe DN/OD 58 x 500 mm	4052836320209	12	12	192
332040	SKOLANsafeEM Pipe DN/OD 58 x 1000 mm	4052836320407	1		114
332060	SKOLANsafeEM Pipe DN/OD 58 x 2000 mm	4052836320605	1		114
332070	SKOLANsafeEM Pipe DN/OD 58 x 3000 mm	4052836320704	1		114
333000	SKOLANsafeEM Pipe DN/OD 78 x 150 mm	4052836330000	10	10	240
333010	SKOLANsafeEM Pipe DN/OD 78 x 250 mm	4052836330109	14	14	224
333020	SKOLANsafeEM Pipe DN/OD 78 x 500 mm	4052836330208	16	16	128
333040	SKOLANsafeEM Pipe DN/OD 78 x 1000 mm	4052836330406	1		70
333060	SKOLANsafeEM Pipe DN/OD 78 x 2000 mm	4052836330604	1		70
333070	SKOLANsafeEM Pipe DN/OD 78 x 3000 mm	4052836330703	1		70
334000	SKOLANsafeEM Pipe DN/OD 90 x 150 mm	4052836340009	26	26	208
334010	SKOLANsafeEM Pipe DN/OD 90 x 250 mm	4052836340108	18	18	144
334020	SKOLANsafeEM Pipe DN/OD 90 x 500 mm	4052836340207	12	12	96
334040	SKOLANsafeEM Pipe DN/OD 90 x 1000 mm	4052836340405	1		60
334060	SKOLANsafeEM Pipe DN/OD 90 x 2000 mm	4052836340603	1		60
334070	SKOLANsafeEM Pipe DN/OD 90 x 3000 mm	4052836340702	1		60
335000	SKOLANsafeEM Pipe DN/OD 110 x 150 mm	4052836350008	20	20	160
335010	SKOLANsafeEM Pipe DN/OD 110 x 250 mm	4052836350107	12	12	96
335020	SKOLANsafeEM Pipe DN/OD 110 x 500 mm	4052836350206	8	8	64
335040	SKOLANsafeEM Pipe DN/OD 110 x 1000 mm	4052836350404	1		40
335060	SKOLANsafeEM Pipe DN/OD 110 x 2000 mm	4052836350602	1		40
335070	SKOLANsafeEM Pipe DN/OD 110 x 3000 mm	4052836350701	1		40
336000	SKOLANsafeEM Pipe DN/OD 135 x 150 mm	4052836360007	1		120
336010	SKOLANsafeEM Pipe DN/OD 135 x 250 mm	4052836360106	1		96
336020	SKOLANsafeEM Pipe DN/OD 135 x 500 mm	4052836360205	1		48
336040	SKOLANsafeEM Pipe DN/OD 135 x 1000 mm	4052836360403	1		24
336060	SKOLANsafeEM Pipe DN/OD 135 x 2000 mm	4052836360601	1		24
336070	SKOLANsafeEM Pipe DN/OD 135 x 3000 mm	4052836360700	1		24
337000	SKOLANsafeEM Pipe DN/OD 160 x 150 mm	4052836370006	1		84
337010	SKOLANsafeEM Pipe DN/OD 160 x 250 mm	4052836370105	1		48
337020	SKOLANsafeEM Pipe DN/OD 160 x 500 mm	4052836370204	1		35
337040	SKOLANsafeEM Pipe DN/OD 160 x 1000 mm	4052836370402	1		21
337060	SKOLANsafeEM Pipe DN/OD 160 x 2000 mm	4052836370600	1		21
337070	SKOLANsafeEM Pipe DN/OD 160 x 3000 mm	4052836370709	1		21
338000	SKOLANsafeEM Pipe DN/OD 200 x 150 mm	4052836380005	1		45
338010	SKOLANsafeEM Pipe DN/OD 200 x 250 mm	4052836380104	1		30
338020	SKOLANsafeEM Pipe DN/OD 200 x 500 mm	4052836380203	1		20
338040	SKOLANsafeEM Pipe DN/OD 200 x 1000 mm	4052836380401	1		15
338060	SKOLANsafeEM Pipe DN/OD 200 x 2000 mm	4052836380609	1		15
338070	SKOLANsafeEM Pipe DN/OD 200 x 3000 mm	4052836380708	1		15

SKOLANSafeGL – Pipe without sleeve

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332080	SKOLANSafeGL Pipe DN/OD 58 x 3000 mm without sleeve	4052836320803	1		114
333080	SKOLANSafeGL Pipe DN/OD 78 x 3000 mm without sleeve	4052836330802	1		70
334080	SKOLANSafeGL Pipe DN/OD 90 x 3000 mm without sleeve	4052836340801	1		60
335080	SKOLANSafeGL pipe DN/OD 110 x 3000 mm without sleeve 4052836350800		1		40
336080	SKOLANSafeGL Pipe DN/OD 135 x 3000 mm without sleeve 4052836360809		1		24
337080	SKOLANSafeGL Pipe DN/OD 160 x 3000 mm without sleeve 4052836370808		1		21
338080	SKOLANSafeGL Pipe DN/OD 200 x 3000 mm without sleeve 4052836380807		1		15

SCHOOLsafeB – Book

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332100	SCHOOLsafeB Bend DN/OD 58 15 Degree	4052836321008	24	24	576
332110	SCHOOLsafeB Bend DN/OD 58 30 Degree	4052836321107	24	24	576
332120	SCHOOLsafeB Bend DN/OD 58 45 Degree	4052836321206	22	22	528
332130	SCHOOLsafeB Bend DN/OD 58 67.5 Degree	4052836321305	20	20	480
332140	SCHOOLsafeB Bend DN/OD 58 87.5 Degree	4052836321404	20	20	480
333100	SCHOOLsafeB Bend DN/OD 78 15 Degree	4052836331007	1	50	400
333110	SCHOOLsafeB Bend DN/OD 78 30 Degree	4052836331106	1	50	400
333120	SCHOOLsafeB Bend DN/OD 78 45 Degree	4052836331205	48	48	384
333130	SCHOOLsafeB Bend DN/OD 78 67.5 Degree	4052836331304	1	44	352
333140	SCHOOLsafeB Bend DN/OD 78 87.5 Degree	4052836331403	1	42	336
334100	SCHOOLsafeB Bend DN/OD 90 15 Degree	4052836341006	1	42	336
334110	SKOLANSafeB Elbow DN/OD 90 30 Degree	4052836341105	1	40	320
334120	SCHOOLsafeB Elbow DN/OD 90 45 Degree	4052836341204	34	34	272
334140	SKOLANSafeB Bend DN/OD 90 87.5 Degree	4052836341402	1	30	240
335100	SCHOOLsafeB Bend DN/OD 110 15 Degree	4052836351005	24	24	192
335110	SCHOOLsafeB Bend DN/OD 110 30 Degree	4052836351104	24	24	192
335120	SCHOOLsafeB Bend DN/OD 110 45 Degree	4052836351203	22	22	176
335130	SKOLANSafeB Bend DN/OD 110 67.5 Degree	4052836351302	20	20	160
335140	SCHOOLsafeB Bend DN/OD 110 87.5 Degree	4052836351401	18	18	144
335145	SCHOOLsafeB Bend DN/OD 110 87.5 Degree with cleaning opening	4052836170897	1	12	144 OR!
336100	SCHOOLsafeB Bend DN/OD 135 15 Degree	4052836361004	1	16	128
336110	SCHOOLsafeB Bend DN/OD 135 30 Degree	4052836361103	1	16	128
336120	SCHOOLsafeB Bend DN/OD 135 45 Degree	4052836361202	1	16	128
336140	SCHOOLsafeB Bend DN/OD 135 87.5 Degree	4052836361400	1	12	96
337100	SCHOOLsafeB Bend DN/OD 160 15 Degree	4052836371003	1	12	72
337110	SKOLANSafeB Bend DN/OD 160 30 Degree	4052836371102	1	10	60
337120	SCHOOLsafeB Bend DN/OD 160 45 Degree	4052836371201	1	8	48
337140	SCHOOLsafeB Bend DN/OD 160 87.5 Degree	4052836371409	1	8	48
338100	SCHOOLsafeB Bend DN/OD 200 15 Degree	4052836381002	1		40
338110	SKOLANSafeB Bend DN/OD 200 30 Degree	4052836381101	1		38
338120	SKOLANSafeB Bend DN/OD 200 45 Degree	4052836381200	1		38
338150	SKOLANSafeB Bend DN/OD 200 87.5 Degree	4052836121196	1		29



15 Degree



30 Degrees



45 Degree



67.5 Degrees



87.5 Degrees

87.5 degrees with
Cleaning opening
Item No. 335145

SKOLANsafeEA – branch



45 Degree



67.5 Degrees



87.5 Degrees



87.5 degrees with
Cleaning opening
Item No. 335405

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332200	SKOLANsafeEA Abzweig DN/OD 58/58 45 Grad	4052836322005	40	40	320
332300	SKOLANsafeEA Abzweig DN/OD 58/58 67,5 Grad	4052836323002	1	44	352
332400	SKOLANsafeEA Abzweig DN/OD 58/58 87,5 Grad	4052836324009	1	48	384
333210	SKOLANsafeEA Abzweig DN/OD 78/58 45 Grad	4052836332103	1	26	208
333310	SKOLANsafeEA Abzweig DN/OD 78/58 67,5 Grad	4052836333100	1	32	256
333410	SKOLANsafeEA Abzweig DN/OD 78/58 87,5 Grad	4052836334107	1	34	272
333200	SKOLANsafeEA Abzweig DN/OD 78/78 45 Grad	4052836332004	1	20	160
333300	SKOLANsafeEA Abzweig DN/OD 78/78 67,5 Grad	4052836333001	1	22	176
333400	SKOLANsafeEA Abzweig DN/OD 78/78 87,5 Grad	4052836334008	1	26	208
334220	SKOLANsafeEA Abzweig DN/OD 90/58 45 Grad	4052836342201	1	24	192
334420	SKOLANsafeEA Abzweig DN/OD 90/58 87,5 Grad	4052836344205	1	26	208
334210	SKOLANsafeEA Abzweig DN/OD 90/78 45 Grad	4052836342102	1	18	144
334410	SKOLANsafeEA Abzweig DN/OD 90/78 87,5 Grad	4052836344106	1	22	176
334200	SKOLANsafeEA Abzweig DN/OD 90/90 45 Grad	4052836342003	1	16	128
334400	SKOLANsafeEA Abzweig DN/OD 90/90 87,5 Grad	4052836344007	1	16	128
335220	SKOLANsafeEA Abzweig DN/OD 110/58 45 Grad	4052836352200	14	14	112
335320	SKOLANsafeEA Abzweig DN/OD 110/58 67,5 Grad	4052836353207	1	18	144
335420	SKOLANsafeEA Abzweig DN/OD 110/58 87,5 Grad	4052836354204	18	18	144
335210	SKOLANsafeEA Abzweig DN/OD 110/78 45 Grad	4052836352101	1	12	96
335310	SKOLANsafeEA Abzweig DN/OD 110/78 67,5 Grad	4052836353108	1	14	112
335410	SKOLANsafeEA Abzweig DN/OD 110/78 87,5 Grad	4052836354105	1	14	112
335230	SKOLANsafeEA Abzweig DN/OD 110/90 45 Grad	4052836121271	1	10	80
335430	SKOLANsafeEA Abzweig DN/OD 110/90 87,5 Grad	4052836121257	1	10	80
335200	SKOLANsafeEA Abzweig DN/OD 110/110 45 Grad	4052836352002	9	9	72
335300	SKOLANsafeEA Abzweig DN/OD 110/110 67,5 Grad	4052836353009	1	10	80
335400	SKOLANsafeEA Abzweig DN/OD 110/110 87,5 Grad	4052836354006	10	10	80
335405	SKOLANsafeEA Abzweig DN/OD 110/110 87,5 Degree with cleaning opening	4052836170903	1	10	80 OR!
336210	SKOLANsafeEA Abzweig DN/OD 135/110 45 Degree	4052836362100	1	7	56
336410	SKOLANsafeEA Abzweig DN/OD 135/110 87,5 Grad	4052836364104	1	8	64
336200	SKOLANsafeEA Abzweig DN/OD 135/135 45 Grad	4052836362001	1	5	40
336400	SKOLANsafeEA Abzweig DN/OD 135/135 87,5 Grad	4052836364005	1	7	56
337210	SKOLANsafeEA Abzweig DN/OD 160/110 45 Degree	4052836372109	1	6	36
337410	SKOLANsafeEA Abzweig DN/OD 160/110 87,5 Grad	4052836374103	1	6	36
337200	SKOLANsafeEA Abzweig DN/OD 160/160 45 Grad	4052836372000	1	4	24
337400	SKOLANsafeEA Abzweig DN/OD 160/160 87,5 Grad	4052836374004	1	5	30
338230	SKOLANsafeEA Abzweig DN/OD 200/110 45 Grad	4052836120540	1		28
338430	SKOLANsafeEA Abzweig DN/OD 200/110 87,5 Grad	4052836121134	1		30
338210	SKOLANsafeEA Abzweig DN/OD 200/160 45 Grad	4052836382108	1		20
338410	SKOLANsafeEA Abzweig DN/OD 200/160 87,5 Grad	4052836121165	1		26
338200	SKOLANsafeEA Abzweig DN/OD 200/200 45 Degree	4052836382009	1		14

SKOLANsafeAM – push-on sleeve, adapter for SML connection



Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332810	SKOLANsafeAM slip-on socket DN/OD 58	4052836328106	1	24	576
333810	SKOLANsafeAM slip-on socket DN/OD 78	4052836338105	1	60	480
334810	SKOLANsafeAM slip-on socket DN/OD 90	4052836348104	1	44	352
335810	SKOLANsafeAM slip-on socket DN/OD 110	4052836358103	1	36	288
336810	SKOLANsafeAM slip-on socket DN/OD 135	4052836368102	1	16	128
337810	SKOLANsafeAM slip-on socket DN/OD 160	4052836378101	1	20	120
338810	SKOLANsafeAM slip-on socket DN/OD 200*	4052836388100	1		45

* no adapter for SML connection

SCHOOLsafeMM – Double sleeve



Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332510	SKOLANsafeMM Double sleeve DN/OD 58	4052836081551	1	44	704
333510	SKOLANsafeMM Double sleeve DN/OD 78	4052836081582	1	64	512
334510	SKOLANsafeMM Double coupling DN/OD 90	4052836081612	1	52	416
335510	SKOLANsafeMM Double sleeve DN/OD 110	4052836081636	1	28	224
336510	SKOLANsafeMM Double sleeve DN/OD 135	4052836081667	1	20	160
337510	SKOLANsafeMM Double coupling DN/OD 160	4052836081698	1	16	96
338510	SKOLANsafeMM Double sleeve DN/OD 200	4052836081728	1		50



SCHOOL SAFE – Langmuffe

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
335930	SCHOOL safe Long sleeve DN/OD 110	4052836359308	1	18	144

SCHOOLsafeM – Muffenstopfen

with cleaning opening
Item No. 335935

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332620	SCHOOLsafeM Muff plug DN/OD 58	4052836326201	1	60	1440
333620	SCHOOLsafeM Muff plug DN/OD 78	4052836336200	1	36	864
334620	SKOLANsafeM Muff plug DN/OD 90	4052836346209	1	76	1216
335620	SKOLANsafeM Muff plug DN/OD 110	4052836356208	1	60	480
335935	SCHOOLsafeM Muff plug DN/OD 110 with cleaning opening	4052836170910	1	12	288 OR!
336620	SCHOOLsafeM Muff plug DN/OD 135	4052836366207	1	40	320
337620	SCHOOLsafeM Muff plug DN/OD 160	4052836376206	1	40	240
338620	SCHOOLsafeM Muff plug DN/OD 200	4052836386205	1	20	120

SKOLANsafeU – Slip-on sleeve



Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332500	SKOLANsafeU sleeve coupling DN/OD 58	4052836325006	1	44	704
333500	SKOLANsafeU sleeve coupling DN/OD 78	4052836335005	1	64	512
334500	SKOLANsafeU sleeve DN/OD 90	4052836345004	1	52	416
335500	SKOLANsafeU sleeve DN/OD 110	4052836355003	1	28	224
336500	SKOLANsafeU sleeve DN/OD 135	4052836365002	1	20	160
337500	SKOLANsafeU sleeve DN/OD 160	4052836375001	1	16	96
338500	SKOLANsafeU sleeve coupling DN/OD 200	4052836385000	1		50



SKOLANSafe – Connection to HT Safe

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
333830	SKOLANSafe connection to HT Safe DN/OD 75	4052836338303	20	20	480
336820	SKOLANSafe connection to HT Safe/KG DN/OD 125 4052836368201		1	16	128



Skolan Safe – transition cuff

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
910833	SKOLANSafe transition cuff Skolan Safe 58/HT Safe 50 mm	4052836086754	20	20	2560



45 Degree



87.5 Degrees

SKOLANSafeEA – branch/transition to HT Safe

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
334230	SKOLANSafeEA branch DN/OD 90/50 45 degree transition to HT Safe	4052836136374	1	24	192
334430	SKOLANSafeEA branch DN/OD 90/50 87.5 degree transition to HT Safe	4052836136404	1	26	208
335240	SKOLANSafeEA branch DN/OD 110/50 45 degree transition to HT Safe	4052836124739	1	14	112
335440	SKOLANSafeEA branch DN/OD 110/50 87.5 degree transition to HT Safe	4052836124791	1	18	144



SCHOOLsafeDA – Double branch

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
333900	SCHOOLsafeDA Double branch DN/OD 78/78/78 87.5 City	4052836121325	1	20	160
334900	SCHOOLsafeDA Double branch DN/OD 90/90/90 87.5 City (swept)*	4052836349002	1	10	80
335900	SCHOOLsafeDA Double branch DN/OD 110/110/110 87.5 City (swept)*	4052836359001	1	8	64

*with particularly streamlined branch design



SCHOOL safeED – Corner double branch

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
334910	SCHOOLsafeED Corner double branch DN/OD 90/90/90 87.5 City	4052836349101	1		108
335910	SCHOOLsafeED Corner double branch DN/OD 110/110/110 87.5 City	4052836359100	1	10	80



SCHOOLsafeEP – Eckabzweig

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
335975	SCHOOLsafeEP Eckabzweig DN/OD 110/110/78/87.5 City links	4025075373756	1		60
335985	SCHOOLsafeEP Eckabzweig DN/OD 110/110/78/87.5 degrees right	4025075373855	1		60



SCHOOLsafeDDA – Shower double branch

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
334670	School Safe-DDA Shower double branch DN/OD 90/90/58	4052836103123	1		25
334680	School Safe-DDA Shower double branch 90° left. DN/OD 90/90/58	4052836103161	1		25
334690	School Safe-DDA Shower double branch 90° right. DN/OD 90/90/58	4052836103208	1		25
335670	School Safe-DDA Shower double branch DN/OD 110/110/58	4052836103246	1		25
335680	School Safe-DDA Shower double branch 90° left. DN/OD 110/110/58	4052836103284	1		25
335690	School Safe-DDA Shower double branch 90° right. DN/OD 110/110/58	4052836103321	1		25



SCHOOLsafePA – Parallel branch

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
335920	SCHOOLsafePA Parallel branch DN/OD 110/110	4052836359209	1	10	80



SCHOOLsafeSW – Siphonbogen

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
335940	SKOLANsafeSW Siphon bend DN/OD 58/40	4052836359407	1	54	1296



SCHOOL AFFAIRS – REDUCER

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
333710	SCHOOL SAFETY REDUCERS DN/OD 78/58	4052836337108	1	20	480
334720	SCHOOL SAFETY REDUCERS DN/OD 90/58	4052836347206	1	100	800
334710	SCHOOL SAFETY REDUCERS DN/OD 90/78	4052836347107	1	58	464
335720	SCHOOL SAFETY REDUCERS DN/OD 110/58	4052836357205	1	52	416
335710	SCHOOL SAFETY REDUCERS DN/OD 110/78	4052836357106	1	52	416
335700	SCHOOL SAFETY REDUCERS DN/OD 110/90	4052836357007	1	36	288
336710	SCHOOL SAFETY REDUCERS DN/OD 135/110	4052836367105	1	22	176
337710	SCHOOL SAFETY REDUCERS DN/OD 160/110	4052836377104	1	20	160
337700	SCHOOL SAFETY REDUCERS DN/OD 160/135	4052836377005	1	14	112
338710	SCHOOL SAFETY REDUCERS DN/OD 200/160	4052836387103	1	10	60



SKOLANSafe transition/HT spigot end

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332750	SKOLANSafe transition/HT-pointed DN/OD 58/40	4052836327505	1	50	1200
333750	SKOLANSafe transition/HT-pointed DN/OD 78/50	4052836337504	1	100	800



DN/ OD 58–DN/ OD 90



DN/ OD 110



DN/ OD 135–DN/ OD 200

SCHOOL SAFE – Reiniger

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
332600	SCHOOLSAFERE Cleaner DN/OD 58	4052836326003	1	32	512
333600	SCHOOLSAFERE Cleaner DN/OD 78	4052836336002	1	36	288
334600	SCHOOLSAFERE Cleaner DN/OD 90	4052836346001	1	9	216
335600	SCHOOLSAFERE Cleaner DN/OD 110	4052836356000	1	12	96
336600	SCHOOLSAFERE Cleaner DN/OD 135	4052836366009	1		40
337600	SCHOOL SAFE RE Cleaner DN/OD 160	4052836376008	1		40
338600	SCHOOL SAFE RE Cleaner DN/OD 200	4052836386007	1		20



SKOLANSafeLB – Long-legged bow

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
335960	SCHOOLsafeLB Long-leg arch DN/OD 110 45 City	4052836359605	1	12	96



School Safe – SBR Replacement Lip Seal

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
880605	SBR replacement lip seal DN/OD 58 (School Safe)	4052836806055	1		
880615	SBR replacement lip seal DN/OD 78 (School Safe)	4052836014054	1		
880047	SBR replacement lip seal DN/OD 90 (HT Safe, School Safe)	4052836003768	1		
880400	SBR replacement lip seal DN/OD 110 (KG2000, School Safe)	4052836804006	1		
880645	SBR replacement lip seal DN/OD 135 (School Safe)	4052836014238	1		
880420	SBR replacement lip seal DN/OD 160 (KG2000, School Safe)	4052836804204	1		
880430	SBR replacement lip seal DN/OD 200 (KG2000, School Safe)	4052836804303	1		



School Safe – NBR replacement lip seal (oil resistant)

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
880705	NBR replacement lip seal DN/OD 58 (School Safe)	4052836014252	1		
880715	NBR replacement lip seal DN/OD 78 (School Safe)	4052836014276	1		
880247	NBR replacement lip seal DN/OD 90 (HT Safe, School Safe)	4052836004109	1		
880500	NBR replacement lip seal DN/OD 110 (KG2000, School Safe)	4052836805003	1		
880745	NBR replacement lip seal DN/OD 135 (School Safe)	4052836014313	1		
880520	NBR replacement lip seal DN/OD 160 (KG2000, School Safe)	4052836805201	1		
880530	NBR replacement lip seal DN/OD 200 (KG2000, School Safe)	4052836805300	1		



School Safe – Rubber cuff

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
881210	Rubber sleeve DN/OD 40/30 B	4052836812100	1	20	
881220	Rubber sleeve DN/OD 40/40 C	4052836812209	1	20	



Skolan Safe – pull-out protection

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
881505	Pull-out protection DN/OD 58	4052836815057	1	50	
881515	Pull-out protection DN/OD 78	4052836815156	1	30	
881520	Pull-out protection DN/OD 90	4052836815200	1	20	
881535	Pull-out protection DN/OD 110	40528368086808	1	26	
881545	Pull-out protection DN/OD 135	4052836815453	1	15	
881555	Pull-out protection DN/OD 160	4052836152459	1	10	
881565	Pull-out protection DN/OD 200	4052836152480	1	10	




Skolan Safe – safety clamp

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
839010	Safety clamp DN/OD 58	4052836390103	1		
839020	Safety clamp DN/OD 78	4052836390202	1		
839030	Safety clamp DN/OD 90	4052836390301	1		
839040	Safety clamp DN/OD 110	4052836390400	1		
839050	Safety clamp DN/OD 135	4052836390509	1		
839060	Safety clamp DN/OD 160	4052836390608	1		
839070	Safety clamp DN/OD 200	4052836390707	1		



Skolan Safe – Lubricant

Art. No.	Designation	EAN	Minimum order quantity/piece	PU/ Cardboard	PU/ Palette
881800	Lubricant 150 g	4052836818003	50	50	
881810	Lubricant 250 g	4052836818102	50	50	
881820	Lubricant 500 g 881830	4052836818201	24	24	
	Lubricant 1,000 g 881840 Lubricant	4052836818300	12	12	
	3,000 g Bucket	4052836123749	1	1	



One thing is certain.



Gebr. Ostendorf Kunststoffe GmbH

